

286-1






TERMS OF BUSINESS AND CONDITIONS OF SALE.

- # W A R N I N G

### 3. GENERAL CONDITIONS OF SALE





REGD. TRADE MARK

**G.E.C.****ELECTRIC LIGHT****FITTINGS ACCESSORIES.****F (2)**SECTION  
16th EDITION  
(December, 1924).**CONTENTS.**

	PAGE		PAGE
ANTI-VIBRATORS ...	1338	NOZZLES ...	1336
BALL FITTINGS ...	1343/4	NURLS ...	1339, 1344
BLOCKS AND BOXES ...	1354/5	OIL LAMP ADAPTORS ...	1342
BRACKETS (INDOOR) ...	1355	PULL DOWN HANDLES ...	1342
BUSHES ...	1336	REFLECTORS 1356/59 & 1362	
CANDLE FITTINGS ...	1346	„ (DESK, ETC.)	1362
CEILING PLATES ...	1337/8	„ (SHOP WINDOW)	1356/61
CHAINS ...	1345	ROSETTES ...	1336
CLIPS ...	1336	SCREWS ...	1336
CORD GRIPS ...	1336	SHACKLES ...	1338
„ ORNAMENTS ...	1339	SHADE CARRIERS ...	1342/3/4
„ SHORTENERS ...	1339	„ FIXERS ...	1343
COUNTERWEIGHT FITTINGS	1348/51	SHADE TILTERS ...	1342
COUPLINGS ...	1336	SHELF CLIPS ...	1357
ELBOWS ...	1336	SOCKETS ...	1337
GALLERIES OR SHADE CARRIERS	1340/1	“ S ” HOOKS ...	1344
HOOKE PLATES ...	1338	“ STRIPLITE ” ...	1358
HOOKE ...	1336, 1338	SWITCH PLATES ...	1352/3
HUSKS ...	1339	TILTERS ...	1342
INSULATORS ...	1336	TUBES ...	1344/6
KNUCKLE JOINTS ...	1343	WIRE GUARDS ...	1347
LOOPS ...	1338	WOOD BLOCKS AND BOXES	1354/5
NIPPLES ...	1337		

*The prices in this list are subject to our Standard Conditions of Sale.***THE GENERAL ELECTRIC CO., LTD.**

HEAD OFFICE:

**MAGNET HOUSE, KINGSWAY, LONDON, W.C.2.**

TELEPHONE: REGENT 7050 (50 LINES). TELEGRAMS: "ELECTRICITY, WESTCENT, LONDON."

WORKS: WITTON, BIRMINGHAM, MANCHESTER, COVENTRY,  
SOUTHAMPTON, ERITH, WEMBLEY, LONDON, ETC.

BRANCHES THROUGHOUT THE UNITED KINGDOM AND IN ALL PRINCIPAL MARKETS OF THE WORLD.



REGD. TRADE MARK.



REGD. TRADE MARK.



(F) 1336

**CORD GRIPS, HOOKS, CLIPS,  
NOZZLES, ELBOWS,  
INSULATORS, ETC.  
(POLISHED BRASS).**

**G.E.C.**

## FITTINGS ACCESSORIES.

### CORD GRIPS. F 3501



F 3501

Male Thread	Brass
	doz.
$\frac{3}{8}$ in.	3/9
$\frac{1}{2}$ in.	4/9
$\frac{3}{4}$ in.	6/3
$\frac{1}{2}$ in. gas	15/9

### F 3503



F 3503

Female Thread	Brass
	doz.
$\frac{3}{8}$ in.	6/-
$\frac{1}{2}$ in.	6/9
$\frac{3}{4}$ in.	8/3

### F 3505



F 3505

Male Thread	Brass
	doz.
$\frac{3}{8}$ in.	18/-

### LACQUERED SCREWS.

### F 3509




F 3509

Size	Brass
	doz.
No. 6 x $\frac{1}{2}$ in.	6d.
No. 8 x 1 in.	1/-

### POLISHED BRASS RINGS.


### F 3511



F 3511

Female Thread	Brass
	doz.
$\frac{3}{8}$ in.	1/6
$\frac{1}{2}$ in.	1/9
$\frac{3}{4}$ in.	2/6
$\frac{1}{2}$ in.	4/3

### BRASS SUSPENDING HOOKS.



F 3513

### F 3513

To fix under cord grip caps of lampholders.  
 $\frac{3}{8}$  in. hole  
10/- per doz.

### BRASS SUSPENDING HOOKS.



F 3515

### F 3515

With split insulator.  
Easily attached to wire.  
16/6 per doz.



F 3517

### SCREW CLIPS.

### F 3517

For clipping to Brass Tubes of the following diameter.

$\frac{3}{8}$ in.	$\frac{1}{2}$ in.	$\frac{3}{4}$ in.	doz.
$\frac{1}{2}$ in.	$\frac{3}{4}$ in.	1 in.	12/6



F 3519

### F 3519

Insulated clip for brass tubes of the following diameters.

$\frac{3}{8}$ in.	$\frac{1}{2}$ in.	$\frac{3}{4}$ in.	doz.
$\frac{1}{2}$ in.	1 in.	1 $\frac{1}{8}$ in.	12/6



F 3521

### INSULATING HOOKS.

### F 3521

Polished brass.  
China insulator.  
For insulating light pendants from ceiling.  
18/- per doz.

Larger sizes to order.



F 3523

### SCREW EYES.

### F 3523

Closed Insulator.  
Wood Screws.

Length overall	Per doz.	Per gross.
1 $\frac{1}{2}$ in.	1/6	15/-
2 $\frac{1}{2}$ in.	1/9	17/3



F 3527

### F 3527

Slotted Insulator.

Length overall	Per doz.	Per gross.
1 $\frac{1}{2}$ in.	1/6	15/-
2 $\frac{1}{2}$ in.	1/9	17/3



F 3529

### ROSETTES.

### F 3529

For use with Screw eyes  
1/3 per doz.  
13/6 per gross

### REDUCING NOZZLES.

### F 3531

Polished Brass.  
Brass Threads.



F 3531

Inside	Outside	doz.
$\frac{3}{8}$ in.	$\frac{1}{2}$ in.	2/6
$\frac{1}{2}$ in.	$\frac{3}{4}$ in.	2/6
$\frac{3}{4}$ in.	1 in.	3/6
$\frac{1}{2}$ in.	$\frac{3}{4}$ in.	3/-
$\frac{3}{4}$ in.	1 in.	3/-
1 in.	1 $\frac{1}{8}$ in.	3/3
$\frac{1}{2}$ in.	1 in.	3/3
$\frac{3}{4}$ in.	1 $\frac{1}{8}$ in.	4/-
1 in.	1 $\frac{1}{4}$ in.	4/3
$\frac{3}{4}$ in.	1 $\frac{1}{2}$ in.	4/3
1 in.	1 $\frac{3}{4}$ in.	5/-
$\frac{3}{4}$ in.	1 $\frac{1}{2}$ in.	6/-
1 in.	2 in.	6/-

### INCREASING NOZZLES.

### F 3535

For Brass Threads.  
26 Pitch.




F 3535

Inside	Outside	doz.
$\frac{3}{8}$ in.	$\frac{1}{2}$ in.	1/9
$\frac{1}{2}$ in.	$\frac{3}{4}$ in.	3/-
$\frac{3}{4}$ in.	1 in.	2/-

### F 3537

Polished Brass.




F 3537

Brass Inside	Iron Outside	doz.
$\frac{1}{8}$ in.	$\frac{1}{4}$ in.	5/6
$\frac{1}{4}$ in.	$\frac{3}{8}$ in.	5/6

### F 3539

Iron Thread



F 3539

Inside	Outside	doz.
$\frac{1}{8}$ in.	$\frac{1}{4}$ in.	3/-
$\frac{1}{4}$ in.	$\frac{3}{8}$ in.	4/3
$\frac{1}{2}$ in.	$\frac{3}{4}$ in.	7/6
1 in.	1 in.	11/3
$\frac{3}{4}$ in.	1 in.	11/3

### NIPPLES.

### F 3541

Brass Thread.  
26 Pitch.



F 3541

Outside	doz.
$\frac{3}{8}$ in.	1/-
$\frac{1}{2}$ in.	1/3
$\frac{3}{4}$ in.	1/6

### COUPLINGS.

### F 3543

Brass Threads.



F 3543

Inside	doz.
$\frac{3}{8}$ in.	4/3
$\frac{1}{2}$ in.	4/9
$\frac{3}{4}$ in.	5/9
1 in.	6/6

### ELBOWS.

### F 3545 (2-way).

### F 3547 (3-way).

Equal Brass Threads.



F 3545/7

Thread	Two Way	Three Way
	doz.	doz.
$\frac{3}{8}$ in.	11/3	11/3
$\frac{1}{2}$ in.	14/3	14/3
$\frac{3}{4}$ in.	15/9	15/9

### NOZZLES.

### F 3551

Polished Brass.

Iron Threads	Brass Threads	doz.
Inside	Outside	
$\frac{3}{8}$ in.	$\frac{1}{2}$ in.	5/3
$\frac{1}{2}$ in.	$\frac{3}{4}$ in.	5/3
$\frac{3}{4}$ in.	1 in.	6/-
1 in.	1 $\frac{1}{8}$ in.	6/-
$\frac{3}{4}$ in.	1 in.	8/3
1 in.	1 $\frac{1}{4}$ in.	8/3
1 in.	1 $\frac{1}{2}$ in.	12/6
1 in.	2 in.	12/6



F 3551/3

### F 3553

Polished Brass.

Electric Threads	Brass Threads	doz.
Inside	Outside	
$\frac{3}{8}$ in.	$\frac{1}{2}$ in.	5/3
$\frac{1}{2}$ in.	$\frac{3}{4}$ in.	5/3
$\frac{3}{4}$ in.	1 in.	6/-
1 in.	1 $\frac{1}{8}$ in.	6/-
1 in.	1 $\frac{1}{4}$ in.	8/3
1 in.	1 $\frac{1}{2}$ in.	8/3

### F 3555

Polished Brass.



F 3555

Iron Threads	Brass Threads	doz.
Inside	Inside	
$\frac{3}{8}$ in.	$\frac{1}{2}$ in.	5/3
$\frac{1}{2}$ in.	$\frac{3}{4}$ in.	6/-
$\frac{3}{4}$ in.	1 in.	9/-
1 in.	1 $\frac{1}{8}$ in.	12/6

### F 3557

Polished Brass.



F 3557

Electric Threads	Brass Threads	Price
Inside	Inside	doz.
$\frac{3}{8}$ in.	$\frac{1}{2}$ in.	5/3
$\frac{1}{2}$ in.	$\frac{3}{4}$ in.	6/-
1 in.	1 in.	8/3

### INSULATING BUSH PIECES.

### F 3561

Black and White for Brass Threads.



F 3561

$\frac{3}{8}$ in.	doz.
$\frac{1}{2}$ in.	10d.
$\frac{3}{4}$ in.	1/-
1 in.	1/6

### EBONITE DIMINISHERS.

### F 3563

Brass Threads.



F 3563

Inside	Outside	doz.
$\frac{3}{8}$ in.	$\frac{1}{2}$ in.	4/6
$\frac{1}{2}$ in.	$\frac{3}{4}$ in.	5/9
$\frac{3}{4}$ in.	1 in.	5/9
1 in.	1 $\frac{1}{8}$ in.	6/9



# G.E.C.

## FITTINGS ACCESSORIES.

1337 (F)

IRON NIPPLES,  
SOCKETS,  
CEILING PLATES.

### IRON NIPPLES AND SOCKETS.



F 3571

Outside Gas Thread	doz.
$\frac{3}{8}$ in.	3/3
$\frac{1}{2}$ in.	5/6
$\frac{3}{4}$ in.	6/3
1 in.	7/6



F 3573

Inside Gas Thread	doz.
$\frac{3}{8}$ in.	4/3
$\frac{1}{2}$ in.	5/6
$\frac{3}{4}$ in.	7/6
1 in.	11/3



F 3575

Inside Gas Thread	doz.
$\frac{1}{8}$ in. $\times$ $\frac{3}{8}$ in.	10/3
$\frac{1}{8}$ in. $\times$ $\frac{1}{2}$ in.	11/6
$\frac{1}{8}$ in. $\times$ $\frac{3}{4}$ in.	11/6
1 in. $\times$ $\frac{1}{2}$ in.	14/6



F 3577/9

Inside Electric Thread	Outside Gas Thread	Price
$\frac{3}{8}$ in.	$\frac{3}{8}$ in.	doz. 10/3
$\frac{1}{2}$ in.	$\frac{1}{2}$ in.	doz. 10/3
1 in.	$\frac{1}{2}$ in.	doz. 11/6

Inside Gas Thread	Outside Electric Thread	Price
$\frac{1}{8}$ in.	$\frac{3}{8}$ in.	doz. 10/3
$\frac{1}{8}$ in.	$\frac{1}{2}$ in.	doz. 11/6



F 3589

F 3589

Polished Brass.  
Male Brass Thread.  
Base  $2\frac{1}{4}$  in.

	doz.
$\frac{3}{8}$ in.	12/6
$\frac{1}{2}$ in.	13/6
$\frac{3}{4}$ in.	14/6



F 3591

F 3591

Polished Brass.  
Female Brass Thread.  
Base 2 in.

	doz.
$\frac{3}{8}$ in.	12/-
$\frac{1}{2}$ in.	13/-
$\frac{3}{4}$ in.	14/-



F 3601

F 3601

With Cord Grip.  
Base  $3\frac{1}{4}$  in.

Polished Brass	doz.
Ox. Copper	14/-
Ox. Silver	15/6
	17/-



F 3603

F 3603

3 $\frac{1}{4}$ in. dia.	With Cord Grip	Without Cord Grip
	doz.	doz.
Pol. Brass	18/9	12/6
Ox. Copper	21/-	14/-
Ox. Silver	25/-	17/6



F 3613

F 3613

3 $\frac{1}{4}$ in. dia.	With Cord Grip	Without Cord Grip
	doz.	doz.
Pol. Brass	24/3	18/-
Ox. Copper	26/6	19/6
Ox. Silver	32/-	24/6



F 3615

F 3615

4 $\frac{1}{4}$ in. dia.	With Cord Grip	Without Cord Grip
	doz.	doz.
Pol. Brass	30/9	24/6
Ox. Copper	33/6	26/6
Ox. Silver	40/-	32/6



F 3617/9

F 3617

3 $\frac{1}{4}$ in. dia.	With Cord Grip	Without Cord Grip
	doz.	doz.
Pol. Brass	23/9	17/6
Ox. Copper	25/9	18/9
Ox. Silver	30/9	23/3

F 3619

4 $\frac{1}{4}$ in. dia.	With Cord Grip	Without Cord Grip
	doz.	doz.
Pol. Brass	31/3	25/-
Ox. Copper	35/-	28/-
Ox. Silver	42/6	35/-

### CEILING PLATES.



F 3581

F 3581

Polished Brass.  
Male Brass Thread.  
Base 2 in.  $\times$   $\frac{3}{4}$  in.

$\frac{3}{8}$ in.	doz.
$\frac{1}{2}$ in.	7/6



F 3583

F 3583

Polished Brass.  
Female Brass Thread.  
Base 2 in.  $\times$   $\frac{3}{4}$  in.

$\frac{3}{8}$ in.	doz.
$\frac{1}{2}$ in.	6/3



F 3585

F 3585

Polished Brass.  
 $\frac{1}{4}$  in. Male Brass Thread.  
Base 1  $\frac{1}{2}$  in.  $\times$   $\frac{1}{2}$  in.  
8/6 doz.



F 3587

F 3587

Polished Brass.  
Male Brass Thread.  
Base 2 in.

$\frac{3}{8}$ in.	doz.
$\frac{1}{2}$ in.	5/6
$\frac{3}{4}$ in.	



F 3605

F 3605

4 in. dia.	With Cord Grip	Without Cord Grip
	doz.	doz.
Pol. Brass	22/9	16/6
Ox. Copper	25/-	18/-
Ox. Silver	29/6	22/-



F 3607

F 3607

Polished Cast Brass.  
 $\frac{3}{8}$  in. Female Brass Thread.  
Base 3  $\frac{1}{4}$  in.  
25/6 doz.



F 3611

F 3611

With Cord Grip.  
Base 3  $\frac{1}{4}$  in.

Pol. Brass	doz.
Ox. Copper	22/6
Ox. Silver	25/-
	27/6



F 3621/3

F 3621

3 $\frac{1}{4}$ in. dia.	With Cord Grip	Without Cord Grip
	doz.	doz.
Pol. Brass	22/6	16/3
Ox. Copper	25/-	18/-
Ox. Silver	29/-	21/6

F 3623

4 $\frac{1}{4}$ in. dia.	With Cord Grip	Without Cord Grip
	doz.	doz.
Pol. Brass	25/-	18/9
Ox. Copper	27/6	20/6
Ox. Silver	31/6	24/-



F 3625

F 3625

Wrought Iron.  
With Cord Grip.  
Base 3  $\frac{1}{4}$  in.  
21/- doz.

10 91-B2912 TCF



(F) 1338

CEILING PLATES, HOOKS, LOOPS,  
INSULATED SHACKLES AND  
ANTI-VIBRATORS.

**G.E.C.**

## FITTINGS ACCESSORIES.

### CEILING PLATES



F 3631

F 3631

Large size for  
heavy fittings

4 in. Base	Polished Brass
For 3/4 in. or 1 in. Brass Tube	69/- doz.



F 3633

F 3633

Small size for  
light fittings

3 1/4 in. Base	Polished Brass
For 3/4 in. Brass Tube	28/6 doz.



F 3635/7

F 3635

To cover China  
Ceiling Rose

3 1/4 in. Base	Polished Brass
With Cord Grip and 3 Hooks	49/6 doz.

F 3637

3 1/4 in. Base	Polished Brass
With Hook	49/6 doz.



F 3641

F 3641


Finish	3 in. Base
Polished Brass	doz. 33/-
Oxidized Copper	36/-
Oxidized Silver	39/-



F 3643/5

F 3643 F 3645


Finish	2 1/2 in.	3 1/2 in.
Polished Cast Brass	doz. 30/-	doz. 45/-
Oxidized Copper	33/-	49/6
Oxidized Silver	36/-	54/-
Iron	24/-	30/-



F 3647

F 3647

5 1/4 in. Base	Ormolu
	99/- doz.



F 3651

GIMBAL  
F 3651

Brass Thread	Polished Brass
5/8 in. x 5/8 in.	doz. 39/-
3/4 in. x 3/4 in.	42/-
1 in. x 1 in.	69/-



F 3661

F 3661

Brass Thread	Polished Brass
1/2 in.	doz. 9/-
3/4 in.	13/6
1 in.	16/6



F 3663

F 3663

Brass Thread	Polished Brass
1/2 in.	doz. 9/-
3/4 in.	13/6
1 in.	16/6



F 3665/7

F 3665 F 3667

Gas Thread	Malleable Iron	Polished Brass
3/8 in.	doz. 8/3	doz. 13/6
1/2 in.	10/6	16/6
3/4 in.	16/6	19/6
1 in.	27/-	28/6



F 3669/71

### LOOPS

Polished Brass.

F 3669 F 3671


Gas Thread	Brass Thread
3/8 in.	doz. 9/-
1/2 in.	12/-
3/4 in.	15/-
1 in.	doz. 8/3
3/8 in.	9/-
1/2 in.	12/-
3/4 in.	15/-

### SHACKLES

F 3673

Brass Thread	Polished Brass
1 in.	doz. 12/6
3/4 in.	15/6
1/2 in.	18/-

F 3673




F 3675

F 3675

Gas Thread	Malleable Iron
3/8 in.	doz. 10/6
1/2 in.	12/6
3/4 in.	21/-
1 in.	27/-

### INSULATED SHACKLES

F 3681




F 3681

Gas Thread	Iron, China Insulators
3/8 in.	doz. 24/-
1/2 in.	

### ANTI- VIBRATORS

F 3683

For outside  
lanterns  
and fittings



F 3683

F 3687


Brass Thread	Polished Brass
Inside Outside	doz. 22/6
1/2 in. x 1/2 in.	
3/4 in. x 3/4 in.	
Iron Thread	
1/2 in. x 1/2 in.	42/-



F 3687

F 3689

Brass  
6/6 doz.





# S.E.C.

## FITTINGS ACCESSORIES.

1339 (F)

CORD ORNAMENTS,  
NURLS, HUSKS AND  
CORD SHORTENERS.

### CORD ORNAMENTS.

F 3701



F 3701

	doz.
Polished Brass ...	11/-
Oxidized Copper...	12/3
Oxidized Silver ...	13/6

F 3703



F 3703

	doz.
Polished Brass ...	15/-
Oxidized Copper...	17/6
Oxidized Silver ...	20/-

F 3705



F 3705

	doz.
Polished Brass ...	25/6
Oxidized Copper...	29/6
Oxidized Silver ...	35/-


F 3707



F 3707

1/2 in. Brass Thread	doz.
Polished Brass ...	52/6
Oxidized Copper...	58/6
Oxidized Silver ...	67/6

F 3709



F 3709

1/2 in. Brass Thread	doz.
Polished Brass ...	67/6
Oxidized Copper...	75/6
Oxidized Silver ...	87/6

F 3711



F 3711

	doz.
Polished Brass ...	30/-
Oxidized Copper...	33/-
Oxidized Silver ...	36/-

F 3713



F 3713

	doz.
Gilt Colour ...	21/-
Oxidized Copper...	23/3
Oxidized Silver ...	25/6



F 3721


### LAMPHOLDER COVER

F 3721

For 1/2 in. Brass Thread	doz.
Polished Brass ...	9/-
Oxidized Copper...	10/-
Oxidized Silver ...	11/-

### HUSKS.

F 3723



F 3723

1/2 in. or 1 1/2 in. hole	doz.
Polished Brass ...	16/6
Oxidized Copper...	18/-
Oxidized Silver ...	19/6

F 3725



F 3725

1/2 in. or 1 1/2 in. hole	doz.
Gilt Colour Brass ...	13/6
Oxidized Copper...	15/-
Oxidized Silver ...	16/6

F 3727



F 3727


1/2 in. brass	Husk only
Cast Brass Ormolu	doz. 90/-

F 3729



F 3729

1/2 in. Brass or 1 1/2 in. hole	doz.
Polished Brass ...	25/6
Oxidized Copper...	28/-
Oxidized Silver ...	30/6



F 3731


F 3731

Polished Brass Husk for Goliath Lamp-Holder and Gasfilled Lamp

10/6 each

For use with F 3501 1/2 in. gas.

### CORD SHORTENERS.




F 3741

F 3741

China. Black or White 6/- doz.

F 3727



F 3743

F 3743

Reg. No. 447457 Will take up 2 feet of Cord

Dull Brass 4/9 doz.



(F) 1340

GALLERIES OR  
SHADE CARRIERS.

**G.E.C.**

## FITTINGS ACCESSORIES.

### GALLERIES OR SHADE CARRIERS.




**F 3751**

**F 3751**


To clamp to Edison  
Screw Lampholder.  
Polished Brass.

2½ in.	doz.
	6/6



**F 3765**

1½ in. Hole	Polished Brass	Oxidized Copper	Oxidized Silver
2½ in. 3½ in.	doz. 9/6 22/6	doz. 10/6 25/-	doz. 11/6 27/6



**F 3781**

½ in. Thread or 1½ in. Hole	Gilt Colour Brass	Oxidized Copper	Oxidized Silver
2½ in. 3½ in. 4 in.	doz. 36/- 42/- 69/-	doz. 39/6 46/6 76/-	doz. 43/- 51/- 83/-

4 in. size is supplied with ½ in. thread only.

**F 3753**

Patent No. 1286/13.  
To clamp to Edison  
Screw Lampholder.

2½ in. 3½ in.	doz. 10/6 14/6
------------------	----------------------



**F 3753**

**F 3755**

Polished Brass.


2½ in. × 1½ in.	doz. 6/9
-----------------	-------------



**F 3755**

**F 3757**

½ in. Thread or 1½ in. Hole	Polished Brass
2½ in.	doz. 16/-




**F 3757**



**F 3761**

To screw on ordinary lampholder.


1½ in. Hole	Polished Brass	Oxidized Copper or Real Bronze Colour	Oxidized Silver
2½ in.	doz. 13/6	doz. 15/-	doz. 16/6



**F 3775**

Registered No. 622033.

1½ in. Hole	Polished Brass	Oxidized Copper	Oxidized Silver
2½ in. 3½ in.	doz. 13/6 22/6	doz. 15/- 25/-	doz. 16/6 27/6




**F 3777**

½ in. Thread or 1½ in. Hole	Polished or Gilt Colour Brass	Oxidized Copper	Oxidized Silver
3½ in. 5½ in.	doz. 36/- 198/-	doz. 39/6 218/-	doz. 43/- 238/-




**F 3783**

½ in. Thread	Polished Brass	Oxidized Copper	Oxidized Silver
2½ in. 3½ in.	doz. 36/- 51/-	doz. 40/- 57/-	doz. 47/6 69/-




**F 3785**

½ in. Thread	Polished Brass	Oxidized Copper	Oxidized Silver
2½ in. 3½ in.	doz. 39/- 70/-	doz. 44/- 79/-	doz. 52/- 93/-




**F 3787**

½ in. Thread	Polished Brass	Oxidized Copper	Oxidized Silver
2½ in. 3½ in.	doz. 36/- 45/6	doz. 42/- 52/6	doz. 49/6 64/6



**F 3791**

½ in. Thread or 1½ in. Hole	Polished Brass	Oxidized Copper	Oxidized Silver
3½ in.	doz. 36/-	doz. 39/-	doz. 42/-



**F 3763**

"HILLERY."

Patent No. 26133/11.

To screw to holder.  
Adjustable for position of Lamp.

Polished Brass 2½ in.	doz. 18/-
-----------------------	--------------



# G.E.C.

1341 (F)

GALLERIES AND  
SHADE CARRIERS.

## FITTINGS ACCESSORIES.

GALLERIES AND SHADE CARRIERS.



F 3795

in. Thread	Polished Brass	Oxidized Copper	Oxidized Silver
2 1/4 in.	doz. 42/-	doz. 47/6	doz. 54/6
3 1/4 in.	54/-	60/-	70/-



F 3797

in. Thread	Polished Brass	Oxidized Copper	Oxidized Silver
3 1/4 in.	doz. 82/6	doz. 91/6	doz. 108/-



F 3801

in. Thread	Cast Brass Ormolu
2 1/4 in.	12/- each




F 3803

With Cord Grip Cast	Real Bronze Colour	Oxidiz'd Silver
3 1/4 in.	each 13/6	each 15/-



F 3805


Polished Brass  
For 2 or 4 Osram Lamps.  
7 in. 9/6 each.  
*Lamp holders extra.*



F 3807

Focussing Ventilated Canopy

in. Iron Thread	Polished Brass	Oxidized Copper	Oxidized Silver
2 1/4 in.	each 8/-	each 9/-	each 10/-
3 1/4 in.	12/9	14/-	15/3



F 3809

F 3809

Reg. No. 634677.

For use with  
F 3501 1/4 in. Iron.

Focussing Ventilated Gallery	Polished Brass
3 1/4 in. 4 in.	each 7/- 9/-



F 3811

F 3811

For Shades with 1 1/4 in. Hole	Polished Brass
8 3 doz.	

F 3813

1 1/4 in. Hole	Polished Brass
For Cardboard, Opal, or Silk Shades, with 1 1/4 in. Opening	doz. 30/-



F 3815

As F 3813 but for Larger Lamps.	doz. 33/-
---------------------------------------	--------------

F 3817

For E. Screw Socket	doz. 34/6
------------------------	--------------

Screwed 1/4 in. brass, unless  
otherwise specified

F 3821

Tilting Shade Carrier, 1 1/4 in. Hole	Polished Brass	Oxidiz'd Copper	Oxidiz'd Silver
For Shades with 1 1/4 in. Opening	doz. 36/-	doz. 39/6	doz. 43/-

F 3823

As F 3821 but for larger Lamps	Polished Brass	Oxidiz'd Copper	Oxidiz'd Silver
	doz. 42/-	doz. 46/6	doz. 51/-



F 3821/5

F 3825

For E. Screw Socket	Polished Brass
Screwed 1/4 in. brass, unless otherwise specified	doz. 51/-



F 3827

F 3827

Tilting Shade Carrier, 1 1/4 in. Hole	Ormolu
For Shades with 1 1/4 in. Opening	doz. 60/-

F 3829

1 1/4 in. Hole	Polished Brass
4 in. over all	doz. 10/6

Silk Shades with 4 in.  
Top Opening can be  
used on Pendants  
with the above.



F 3829




(F) 1342

SHADE CARRIERS, TILTERS,  
PULL DOWN HANDLES,  
OIL LAMP ADAPTORS  
AND SHADE FIXERS.

**G.E.C.**

## FITTINGS ACCESSORIES.

### SHADE CARRIERS.



F 3831

**F 3831**

To clip to Candle.  
Reg. No. 463713.

Tinned Brass	doz. 10/-
--------------	--------------



F 3833

**F 3833**

To clip on Candle.

Brass. 2in. Top Gallery	doz. 8/6
-------------------------------	-------------



F 3835

**F 3835**

4in. Carrier  
with 1 1/2 in. Hole

Polished Brass	doz. 27/-
----------------	--------------



F 3837

Without Holder or Lamp.

1 1/2 in. Hole	Polished Brass	Oxidiz'd Copper	Oxidiz'd Silver	Nickel Plated
For Lamp Shades with 4in. Top Opening	doz. 21/-	doz. 25/6	doz. 33/-	doz. 33/-

**F 3839**

As F 3837 but  
heavy pattern

Polished Brass	doz. 114/-
----------------	---------------




F 3841

**F 3841**

Polished Brass.

4in. Carrier	To Screw to 1/2 in. Brass
With 2 or 3lt. Ball Body	doz. 108/-

When ordering  
state number of  
lights required.



F 3845

**F 3845**

10in.	1/2 in. Brass Thread or 1 1/2 in. Hole
Polished Brass	6/- each


### TILTERS.



F 3849

**F 3849**

Polished Brass  
5/- each.  
Without Shade, Lamp-  
or Lampholder.



F 3861

**F 3861**

For Duplex Lamps.

1/2 in. Brass Thread	
Pol. Brass	doz. 15/-
Ox. Copper	18/-
Ox. Silver	21/-
Nickelled	21/-



F 3863

**F 3863**

For Duplex Lamps.

1/2 in. Brass Thread	Polished Brass
120/- doz.	


### PULL DOWN HANDLES FOR ATTACHMENT TO COUNTERWEIGHT PENDANTS.



F 3851/3

**F 3851**

Polished Brass  
2/9 each.  
Pull-down attachment  
for lampholder of  
1-Light Pendant, to  
screw on in place of  
the shade carrier ring.




F 3865

**F 3865**

For Duplex and  
other Lamps.

1/2 in. Brass Thread	
Pol. Brass	doz. 22/6
Nickelled	30/-

### SHADE FIXERS.



F 3869

**F 3869**

"SURE GRIP."  
Useful tool for attach-  
ing and detaching Shade  
holder rings where  
shades are too small to  
allow the rings to be  
fixed by hand.

Patent No. 10608/05.

Nickelled Steel	each 4/9
--------------------	-------------

**F 3855**

3/4 in. Brass Thread	
Iron. Polished Brass	each 1/- 1/3



F 3855




# G.E.C.

1343 (F)

**KNUCKLE JOINTS,  
BALL FITTINGS.  
(POLISHED BRASS).**

## FITTINGS ACCESSORIES.

### KNUCKLE JOINTS.




**F 3871**

$\frac{1}{2}$ in. Brass Thread.	Polished Brass.
33/- doz.	



**F 3873**

$\frac{1}{2}$ in. Brass Threads.	
Pol. Brass	42/- doz.
Ox. Copper	46/6 doz.
Ox. Silver	51/- doz.




**F 3875**

Will remain in position without aid of wing nut.


$\frac{1}{2}$ in. Brass Thread.	Polished Brass.
45/- doz.	

### BALL FITTINGS.



**F 3881**

$\frac{3}{8}$ in. Top Thread.	$\frac{1}{2}$ in. Branches.
2-Light	doz. 21/6
3-Light	24/-
4-Light	25/6
5-Light	27/-



**F 3883**

$\frac{3}{8}$ in. Top Thread.	$\frac{1}{2}$ in. Branches.
2-Light	doz. 21/6
3-Light	24/-
4-Light	25/6
5-Light	27/-



**STAMPED  
SPLIT BALL.**

**F 3885**

$\frac{3}{8}$ in. Top Thread.	$\frac{1}{2}$ in. Branches.
2-Light	doz. 18/-
3-Light	21/-
4-Light	22/6
5-Light	24/-




**HEAVY CAST  
SPLIT BALL.**

**F 3887**

$\frac{3}{8}$ in. Top Thread.	$\frac{1}{2}$ in. Branches.
2-Light	doz. 39/-
3-Light	42/-
4-Light	45/-
5-Light	48/-

### JUNCTION BAR.




**F 3891**

Without Holders.


$\frac{3}{8}$ in. Centre Thread	$\frac{1}{2}$ in. Branches.
2-Light	doz. 7/6
3-Light	10/-
4-Light	12/6
5-Light	15/-

### CAST ELBOW BALL.



**F 3893**

$\frac{3}{8}$ in. Top Thread.	$\frac{1}{2}$ in. Branches.
2-Light	doz. 30/-
3-Light	39/-
4-Light	45/-
5-Light	57/-




**F 3895**

Complete with B.C. adaptor and lampholders.

2-Light	Series	7/- each.
2-Light	Parallel	7/- each.

### TWIST BALL FITTING.



**F 3897**

By use of the above fitting the lamps occupy a smaller space in dish fitting or opal shades than with other patterns.

$\frac{3}{8}$ in. Top Thread.	$\frac{1}{2}$ in. Arms.
2-Light	each. 4/6
3-Light	5/3




(F) 1344

CARRIERS, BALL FITTINGS,  
TUBES, "S" HOOKS, ETC.  
(POLISHED BRASS)


# G.E.C.

## FITTINGS ACCESSORIES.



F 3901


$\frac{3}{8}$ in. Tube	4in. long overall
With Cord Grip	16/6 doz.



SHADE CARRIER AND  
CORD GRIP.

F 3903


$\frac{3}{8}$ in. Thread	For $1\frac{1}{8}$ in. Shades
9/6 doz.	



F 3905

$\frac{3}{8}$ in. Thread	Stem 1in. long
16/6 doz.	

Shade Ring unscrews at bottom



SHADE CARRIER.

F 3907

$\frac{3}{8}$ in. Thread	Stem 1in. long
18/- doz.	
To screw on to $\frac{1}{2}$ in. Iron Barrel	



### WROUGHT IRON TUBES.

For fitting up outside fittings, such as are used for  
Shops, Mines, Factories, and Street Lighting.

Catalogue No.	Length	$\frac{3}{8}$ in. Iron	$\frac{1}{2}$ in. Iron
	inches	doz.	doz.
F3911	4	6/-	7/-
F3913	6	9/-	13/6
F3915	9	13/6	21/-
F3917	12	18/-	27/-




F 3921

$\frac{3}{8}$ in. Tube	CANTING
2-Light	doz. 60/-
3-Light	72/-

F 3923

$\frac{3}{8}$ in. Tube	PERPENDICULAR
2-Light	doz. 60/-
3-Light	72/-



F 3925

Cast Ornamental Cord Grip and Brass Nipples	$\frac{3}{8}$ in. Tube	$\frac{1}{2}$ in. Tube
2-Light	doz. 63/-	doz. 69/-
3-Light	75/-	81/-



### BRASS TUBES. POLISHED AND LACQUERED.

Prices per Dozen.

Cat. No.	Length	$\frac{3}{8}$ in. Diameter	$\frac{1}{2}$ in. Diameter	$\frac{5}{8}$ in. Diameter	$\frac{3}{4}$ in. Diameter
	inches				
F 3931	1	3/6	3/9	4/0	
F 3933	1 $\frac{1}{2}$	4/3	4/6	4/9	
F 3935	2	4/6	5/-	5/6	
F 3937	2 $\frac{1}{2}$	5/6	5/9	6/3	
F 3939	3	6/-	6/9	7/3	
F 3941	3 $\frac{1}{2}$	6/9	7/3	8/3	
F 3943	4	7/3	8/-	9/-	
F 3945	4 $\frac{1}{2}$	8/-	8/9	10/-	
F 3947	5	8/6	9/9	10/9	
F 3949	6	9/9	11/-	12/3	
F 3951	7 $\frac{1}{2}$	11/0	13/6	15/-	
F 3953	9	13/9	15/6	18/-	
F 3955	12	18/-	20/-	22/6	25/6
F 3957	15	21/6	25/-	28/-	31/6
F 3959	18	25/-	29/6	33/-	37/6
F 3961	24	32/6	37/6	42/6	49/6
F 3963	30	40/6	49/6	52/6	60/-

### NURLS FOR CHAINS.

F 3971

Polished Brass  
Ornament for link  
chain, with  
wire way through  
centre

Small	doz. 36/-
Large	57/-



### BRASS HOOKS.

F 3973

1in. Light Pattern

Polished Brass ..	doz. 6d.
Oxidized Copper ..	9d.
Oxidized Silver ..	1/-

F 3975


2in. Light Pattern

Polished Brass ..	doz. 2/-
Oxidized Copper ..	2/6
Oxidized Silver ..	3/9

F 3977

2 $\frac{1}{2}$ in. Heavy Pattern

Polished Brass ..	doz. 4/6
Oxidized Copper ..	5/3
Oxidized Silver ..	6/3



F 3979

Polished Brass

1 $\frac{1}{2}$ in.	doz. 9/-
2in.	12/6
3in.	25/6



### NURLS FOR DOWN RODS.

F 3981

Polished Brass  
Fitted with set screw

$\frac{3}{8}$ in.	doz. 13/6
$\frac{1}{2}$ in.	16/6




## FITTINGS ACCESSORIES.

### CASH'S PATENT CHAIN.

#### PLAIN. F 3985


Size of Link ins.	Polished Brass or Gilt Colour	Oxidized Copper or Real Bronze Colour	Oxidized Silver
$\frac{3}{4}$	per foot 1/3	per foot 1/6	per foot 1/9
1	1/6	1/9	2/-
1 1/4	1/8	1/11	2/3
1 1/2	1/11	2/3	2/6
1 3/4	2/1	2/5	2/9
2	2/6	3/-	3/6



F 3985

#### ORNAMENTAL. F 3987

Size of Link ins.	Polished Brass or Gilt Colour	Oxidized Copper or Real Bronze Colour	Oxidized Silver
$\frac{3}{4}$	per foot 1/5	per foot 1/8	per foot 1/11
1 1/4	2/-	2/3	2/6




F 3987

### CHAIN.

#### F 3989

Size of Link ins.	Polished Brass or Gilt Colour	Oxidized Copper or Real Bronze Colour	Oxidized Silver
$\frac{3}{4}$	per foot 1/3	per foot 1/6	per foot 2/-
1 1/4	1/11	2/4	2/11
2	2/9	3/-	3/6



F 3989

### CHAIN.

#### F 3991

Size of Link ins.	Polished Brass or Gilt Colour	Oxidized Copper or Real Bronze Colour	Oxidized Silver
1	per foot 10d.	per foot 1/-	per foot 1/3
1 1/4	1/1	1/3	1/7
1 1/2	1/3	1/6	1/9



F 3991

#### F 3993

Size of Link ins.	Polished Brass or Gilt Colour	Oxidized Copper or Real Bronze Colour	Oxidized Silver	Wrought Iron
$\frac{1}{2}$	per foot 5d.	per foot 6d.	per foot 8d.	per foot —
1	6d.	7d.	9d.	7d.
1 1/4	9d.	10d.	1/1	9d.
1 1/2	1/3	1/6	2/-	—
2	2/-	2/3	2/6	—



F 3993

#### F 3995

Size of Link ins.	Polished Brass or Gilt Colour	Oxidized Copper or Real Bronze Colour	Oxidized Silver
1 1/4	per foot 9d.	per foot 11d.	per foot 1/2
1 1/2	10d.	1/1	1/4
2	1/-	1/3	1/6



F 3995



(F) 1346

CANDLE FITTINGS,  
TUBES, HOLDERS,  
ETC.

**S.E.C.**

## FITTINGS ACCESSORIES.

### CANDLE FITTINGS.



F 4001

#### F 4001

Telescopic Candle fitting,  
complete with adjustable  
Rubber plug and Spring.  
Will fit inside any length  
opal tube up to 6 ins.

2/9 each.

*Price does not include  
Lamp, Lampholder or  
Candle tube.*



F 4003

#### F 4003

Patent No. 196543.

##### ADVANTAGES.

(1) Rigidity when fixed,  
the rubber expanding  
plug being the best method  
of attachment to candle  
socket, while the spring  
shown draws the lamp  
firmly on to tube, and the  
tube in turn tightly on to  
the bevelled rubber. No  
shake is therefore possible,  
a fault which is present in  
other candle fittings.

(2) Illumination of tube  
giving realistic appear-  
ance of wax candle.

(3) Security of attach-  
ment. No amount of  
vibration can loosen the  
fitting when fixed.

(4) Always upright.

Stocked to fit 4, 4½ and 5  
inch candle tubes.

4/- each.

*Price includes Lamp-  
holder and Opal tube, but  
not Lamp.*



F 4005

#### F 4005

Patent No. 196543.

This fitting is iden-  
tical with F 4003, with  
the exception that in-  
stead of the rubber  
expanding plug it is  
finished with S.B.C.  
Cap for fitting into  
Holder in Sconce. By  
this means the Lamp  
can be regulated in  
fitting before being  
placed in holder in  
sconce.

4/6 each.

*For Holders suit-  
able for use in  
sconces see F4009  
and F4013.*

*Price includes  
Lampholder and  
Opal tube, but not  
Lamp.*

### OPAL TUBES FOR CANDLES.



### SELF-ADJUSTING LAMPHOLDER.



F 4009

To fit into Candle Socket.

1/6 each.

Catalogue No.	Description	Length	Internal Diameter	Per doz.	Per gross
F 4021	White, Glazed	4	1	6/6	72/-
F 4023	"	4½	1	7/-	75/-
F 4025	"	5	1	7/6	81/-
F 4027	"	6	1	9/-	90/-
F 4029	"	4	1	6/6	72/-
F 4031	"	4½	1	7/-	75/-
F 4033	"	5	1	7/6	81/-
F 4035	"	6	1	9/-	90/-
F 4037	Yellow, Unglazed	4	1	9/-	90/-
F 4039	"	4½	1	10/-	114/-
F 4041	"	5	1	11/6	132/-
F 4043	"	6	1	12/-	138/-

### CANDLE SOCKET.



F 4011

Candle Socket.  
Polished Brass.  
1/6 each.



F 4013

Long Slotted S.B.C. Lampholder,  
with adjustable Rubber grip.

2/9 each.




# G.E.C.

1347 (F)


**WIRE GUARDS  
AND FRAMES.**

## FITTINGS ACCESSORIES.


### WIRE GUARDS AND FRAMES.


**F 4051**


Polished Brass Cap and Galvanized Wire Guard.  
For Osram Lamps up to 60 watt size 1½ in. hole  
18/- dozen.


**F 4053**

Galvanized Wire Guard  
For Osram Lamps up to 40 watt size  
With 3¼ in. P.B. Gallery.  
27/- doz.


**F 4057**

For Osram Lamps up to 20 watt size  
Polished Brass With feet 1½ in. Hole  
90/- doz.



**F 4059**

Strong Galvanized Wire Guard  
For springing on to Enamelled Iron Shades

8in.	9in.	10in.	12in.	15in.	18in.
doz.	doz.	doz.	doz.	doz.	doz.
7/6	8/3	8/9	13/6	18/-	42/-


**F 4067**

For Osram Lamps up to 60 watt size. Tinned wire  
9/- doz.


**F 4061**


Wire frames for silk shades, 1½ in hole

6in.	8in.	doz.
		12/-
		18/-


**F 4063**

Wire Frame for Silk Shades  
1½ in. top hole

9in.	10in.	doz.
		6/-
		6/6


**F 4065**

Wire frame for Silk Shades  
With Gimbal

9in.	10in.	doz.
		27/-
		30/-

**F 4069**

For Osram Lamps 100 watt size Tinned wire  
Simple to fix. No cap or gallery to obstruct light  
Holder and Lamp not included  
15/- doz.



(F) 1348

COUNTERWEIGHT  
FITTINGS  
CHINA, POLISHED  
BRASS.

**G.E.C.**

## FITTINGS ACCESSORIES.

### COUNTERWEIGHT FITTINGS.

SCALE  
1/3 rd  
FULL SIZE.




**F 4071**

Cream China.  
To hold up to 2½lbs.  
of shot.  
Without pulley guide.  
19/6 doz.

**F 4073**

As F4071 but with  
pulley guide.  
22/6 doz.

**F 4071/3**



**F 4075**

Cream China  
Cast Mountings.  
To hold up to 2½lbs.  
of shot.  
Without pulley guide.  
30/- doz.

**F 4075**




**F 4077**

White China Wheels.  
To hold up to 2½lbs.  
of shot.  
Polished Brass.  
Without pulley guide.  
25/6 doz.

**F 4079**

As F4077  
with pulley guide  
and pan.  
28/6 doz.

**F 4077/9**




**F 4081**

White China Wheels.  
To hold up to 5lbs. of shot.  
Polished Brass.  
37/6 doz.



**F 4083**

White China Wheels.  
To hold up to 5lbs. of shot.  
Polished Brass.  
45/- doz.



**F 4085**

White China Wheels.  
To hold up to 5½lbs. of shot.  
Polished Brass.  
84/- doz.



**F 4087**

White China Wheels.  
To hold up to 5½lbs. of shot.  
Polished Brass.  
138/- doz.




**F 4091**

Ring and China Wheel for  
our 2½in. H.V. Ceiling Rose.  
Brass, without guide.  
9/- doz.

**F 4093**

As F4091 but with guide.  
10/6 doz.



**F 4095**

Ring and China Wheel heavy  
cast pattern, for our 2½in. H.V.  
Ceiling Rose.  
Polished Brass.  
19/6 doz.




**F 4097**

1½in. China Wheel.  
Mounted on polished brass  
back plate.  
25/6 doz.




**F 4099**

1½in. China Wheel.  
Mounted on brass fitting.



**F 4101**

For extending pendants away  
from ceiling rose.  
Brass.  
24/- doz.



**F 4103**

1½in. China Wheel.  
Mounted on brass fitting.  
With wood screw.  
15/9 doz.



**F 4105**

With China Wheels.  
For fixing to brackets for sus-  
pending counterweight pendants.  
Polished Brass.  
½in. Thread.  
24/- doz.

A useful device for carrying  
flexible pendant to any  
point in the room. Guide  
prevents flex. from running  
off pulley. See F4123 for  
further illustration.

21/- doz.

DUST SHOT for above weights. In 25lb. bags 21/- per bag. Smaller quantities 10d. per lb.



# S.E.C.

## FITTINGS ACCESSORIES.


1349 (F)

**COUNTERWEIGHT  
FITTINGS.**  
(POLISHED BRASS,  
CHINA, AND IRON).




**F 4111**

Polished Brass Counterweight with 2½ in. H.V.  
Ceiling Rose and Pulley  
Will hold up to 2½ lbs. of shot  
Without Pulley Guides Price 44/3 doz. sets  
With Pulley Guides... „ 48/9 „



**F 4113**

Cream China  
Large Size, to hold 4lbs. of shot  
Set complete ... .. Price 97/6 doz. sets.  
Counterweight only ... .. „ 72/- „




**F 4115**

China Counterweight with 2½ in. H.V. Ceiling  
Rose and Pulley  
Will hold up to 2½ lbs. of shot  
Without Pulley Guides Price 38/3 doz. sets  
With Pulley Guides ... „ 42/9 „


**F 4117**

As **F 4115**, but all Cast Mountings  
Set Complete ... .. Price 59/3 doz. sets




**F 4119**

China Counterweight with Special Lock Nut and  
Strong Cord Guide with 2½ in. H.V. Ceiling Rose  
and Pulley  
Will hold up to 2½ lbs. of shot  
Without Pulley Guides Price 50/- doz. sets  
With Pulley Guides  
(as illustration) ... .. „ 54/6 „



**F 4121**

H.V. Ceiling Rose with concealed Pulley Wheel  
Can be used with any plain Counterweight  
on this and previous page  
Arranged for looping in and to take C.M.A.  
Flexible Cord  
Price 42/- per doz.



**F 4123**

Cast iron Counterweight with H.V. Ceiling  
Rose and guided Pulley  
Set Complete ... .. Price 60/3 per doz.  
Counterweight only ... .. „ 29/6 „




(F) 1350

COUNTERWEIGHT  
FITTINGS.

**G.E.C.**

**FITTINGS ACCESSORIES.**




**F 4125**

Polished Brass fitted  
with F 4121 Ceiling  
Rose. To hold up  
to 3lbs. of shot.

9/- per set.

**F 4125**




**F 4127**

**F 4127**

Polished Brass.  
To hold up to 10lbs.  
of shot.

19/6 per set.




**F 4131**

Polished or  
Antique Brass.


19/6 per set.

**F 4131**



**F 4133**


Polished Brass Counterweight. To hold up  
to 4½lbs. of shot. 7/6 each.  
2½in. Double Pulley for ditto  
2/6 each.



**F 4135**

Cream China Counterweight.  
To hold up to 1½lbs. of shot.


7/6 each.



**F 4139**

Counterpoise and Cord Absorber.  
Polished Brass.

8/3 each.



**F 4141**


Suitable for 3-light Pendants.  
Plain Cream China Counterweight only  
To hold up to 3lbs. of shot. 7/6 each.  
2½in. Double Pulley for Ceiling Rose 2/6 each.



# G.E.C.


## FITTINGS ACCESSORIES.

1351 (F)  
COUNTERWEIGHT  
FITTINGS



**F 4143**

Polished Brass.  
To hold up to 4lbs. of shot.  
18/- per set.




**F 4145**

Polished Brass.  
To hold up to 6lbs. of shot.  
8/3 per set.




**F 4147**

Polished Brass. To hold up to 6lbs. of shot.  
19/6 per set.




**F 4149**

To hold up to 11lbs. of shot.  
Polished Brass .. 18/- per set.  
Oxidized Copper .. 19/6 ..  
Oxidized Silver .. 21/- ..



**F 4151**

Polished Brass.  
To hold up to 6lbs. of shot.  
13/6 per set.



**F 4153**

Polished Brass.  
To hold up to 15lbs. of shot.  
20/- per set.

**F 4155**

To hold up to 11lbs. of shot.  
Polished Brass ... 18/- per set.  
Oxidized Copper ... 19/6 ..  
Oxidized Silver ... 21/- ..


*All sets with the exception of F 4147 and F 4155 are arranged for the flexible wires to pass through the counterweight. In the case of F 4147 and F 4155 the wires pass outside the weight as used on most 2-Light Dressing Table Pendants.*



# G.E.C.


## FITTINGS ACCESSORIES.

### STAMPED SWITCH PLATES.




**F 4161**

No. of Switch holes	Size of Plate	Pol. Brass	Antique Brass or Ox. Copper	Ox. Silver
1	ins. 3 x 3	each. 10½d.	each. 1/-	each. 1/3
2	5½ x 3	1/6	1/9	2/-
3	7½ x 3	3/3	3/9	4/3
4	5½ x 5½	5/-	5/6	6/6




**F 4163**

No. of Switch holes	Size of Plate	Pol. Brass	Antique Brass or Ox. Copper	Ox. Silver
1	ins. 3 x 3	each. 10½d.	each. 1/-	each. 1/3
2	5½ x 3	1/6	1/9	2/-
3	7½ x 3	3/3	3/9	4/3
4	5½ x 5½	5/-	5/6	6/6



**F 4165**

No. of Switch holes	Size of Plate	Pol. Brass	Antique Brass or Ox. Copper	Ox. Silver
1	ins. 3 x 3	each. 10½d.	each. 1/-	each. 1/3
2	5½ x 3	1/6	1/9	2/-
3	7½ x 3	3/3	3/9	4/3
4	5½ x 5½	5/-	5/6	6/6



**F 4167**


No. of Switch holes	Size of Plate	Pol. Brass	Real Bronze Colour or Oxidized Copper	Ox. Silver
1	ins. 3 x 3	each. 10½d.	each. 1/-	each. 1/3
2	5½ x 3	1/6	1/9	2/-
3	7½ x 3	3/3	3/9	4/3
4	5½ x 5½	5/-	5/6	6/6

### CAST SWITCH PLATES.




**F 4171**

No. of Switch holes	Size of Plate	Polished Brass
1	ins. 3 x 3	each. 3/3
2	5½ x 3	5/3
3	7½ x 3	7/-
4	9½ x 3	8/3
4	5½ x 5½	



**F 4173**

No. of Switch holes	Size of Plate	Polished Brass	Real Bronze Colour or Ox. Copper	Oxidized Silver
1	ins. 3 x 3	each. 1/6	each. 1/9	each. 2/-
2	5½ x 3	2/6	2/9	3/-
3	7½ x 3	3/9	4/3	4/9
4	9½ x 3	5/3	5/9	6/6
4	5½ x 5½			




**F 4175**

No. of Switch holes	Size of Plate	Gilt Colour
1	ins. 3 x 3	each. 3/3
2	5½ x 3	5/3
3	7½ x 3	7/-
4	9½ x 3	8/3
4	5½ x 5½	




**F 4179**

No. of Switch holes	Size of Plate	Gilt Colour
1	ins. 3 x 3	each. 3/9
2	5½ x 3	5/9
3	7½ x 3	7/6
4	9½ x 3	9/-
4	5½ x 5½	



**F 4181**

No. of Switch holes	Size of Plate	Gilt Colour
1	ins. 3 x 3	each. 3/-
2	5½ x 3	4/9
3	7½ x 3	6/6
4	9½ x 3	8/-
4	5½ x 5½	



**F 4183**

No. of Switch holes	Size of Plate	Gilt Colour
1	ins. 3 x 3	each. 4/6
2	5½ x 3	6/9
3	7½ x 3	8/3
4	9½ x 3	11/3
4	5½ x 5½	


ABOVE PRICES DO NOT INCLUDE SWITCHES OR PLUGS.  
NOTE.—All the above Switch Plates are supplied with 2 in. centres.



# S.E.C.

1353 (F)  
SWITCH PLATES

## FITTINGS ACCESSORIES. CAST SWITCH PLATES.



**F 4185**

Erinoid Centre. 2in. Centres.


No. of Switch holes	Size of Plate	Gilt Colour
	ins.	each.
1	3 × 3	2/9
2	5½ × 3	4/6
3	7½ × 3	6/9
4	5½ × 5½	8/6



**F 4187**

2in. Centres.


No. of Switch holes	Size of Plate	Gilt Colour
	ins.	each.
1	3 × 3	5/3
2	5½ × 3	8/3
3	7½ × 3	10/6
4	9½ × 3	13/6
4	5½ × 5½	



**F 4189**

2in. Centres.

No. of Switch holes	Size of Plate	Gilt Colour
	ins.	each.
1	3 × 3	4/6
2	5½ × 3	6/6
3	7½ × 3	8/9
4	9½ × 3	11/6
4	5½ × 5½	



**F 4191**

2in. Centres.

No. of Switch holes	Size of Plate	Gilt Colour
	ins.	each.
1	3½ × 3½	6/9
2	5½ × 3½	9/6
3	7½ × 3½	12/6
4	5½ × 5½	16/6

This plate can be supplied either vertical or horizontal.



**F 4193**

2½in. Centres.


No. of Switch holes	Size of Plate	Gilt Colour
	ins.	each.
1	3½ × 3½	4/3
2	5½ × 3½	6/6
3	7½ × 3½	8/3
4	5½ × 5½	11/6



**F 4195**


2in. Centres.

No. of Switch holes	Size of Plate	Gilt Colour
	ins.	each.
1	3½ × 3½	4/3
2	5½ × 3½	6/6
3	7½ × 3½	8/3
4	5½ × 5½	11/6



**F 4197**

Size of Plate	Arranged for switch and plug.	Polished Brass	Oxidized Copper	Oxidized Silver
ins.		each.	each.	each.
5½ × 3	S 406 5 amp. switch, and S 774 plug and socket	2/6	2/9	3/-
6½ × 3½	S 485 10 amp. switch and 10 amp. plug and socket	3/9	4/3	4/9



**F 4199**



Size of Plate	Arranged for switch and plug.	Gilt Colour
ins.		each.
5½ × 3	S 406 5 amp. switch, and S 774 plug and socket .. .. .	4/9
6½ × 3½	S 485 10 amp. switch, and 10 amp. plug and socket .. .. .	6/-

ABOVE PRICES DO NOT INCLUDE SWITCHES OR PLUGS.


NOTE.—All the above Switch Plates are supplied with 2 in. centres.



(F) 1354

POLISHED WOOD  
BLOCKS.**G.E.C.****FITTINGS ACCESSORIES.****ROUND RECESSED BLOCKS.**

Catalogue No.	Size at back	Size on face	Thickness	Imitation walnut		White enamelled		Real teak	
				per doz.	per gross	per doz.	per gross	per doz.	per gross
F 4201	2 1/4	2 3/8	1 1/8	2/-	22/6	2/3	24/-	4/-	45/-
F 4203	3	2 3/4	1 1/8	2/3	24/-	2/6	25/6	4/3	48/-
F 4205	3 1/4	2 7/8	1 1/4	2/3	24/6	2/6	26/6	4/9	54/-
F 4207	3 1/2	2 7/8	1	2/3	24/6	2/6	26/6	5/3	57/-
F 4209	3 1/2	2 7/8	1 1/4	2/9	31/6	3/-	33/-	6/-	66/-
F 4211	3 3/4	3 1/4	1	3/-	33/-	3/3	36/-	6/-	66/-
F 4213	4 1/8	3 3/8	1	4/-	42/-	4/3	45/-	7/6	84/-
F 4215	4 1/2	4	1	4/6	48/-	5/-	52/6	9/3	102/-
F 4217	4 7/8	4 3/8	1	5/9	63/-	6/3	69/-	10/9	120/-
F 4219	5 1/4	4 1/2	1	7/-	75/-	7/6	81/-	13/6	150/-
F 4221	6	5 1/2	1	8/-	87/-	8/6	93/-	16/-	180/-
F 4223	6 3/4	6 1/4	1	11/-	120/-	11/6	126/-	24/-	270/-
F 4225	7 1/2	7	1	16/-	180/-	17/6	198/-	33/-	360/-
F 4227	8 1/2	8	1	21/-	240/-	23/-	264/-	38/-	420/-

**SQUARE AND RECTANGULAR RECESSED BLOCKS.  
MORTICED, ROUND CORNERS.**

Catalogue No.	No. of switches (Space)	Size at back	Size on face	Thickness	Polished imitation walnut		White enamelled		Real teak	
					per doz.	per gross	per doz.	per gross	per doz.	per gross
F 4231	1	3 x 3	2 1/2 x 2 1/2	1	4/3	49/6	4/6	51/-	7/3	81/-
F 4233	2	5 1/2 x 3	5 x 2 1/2	1	6/-	66/-	6/3	69/-	10/6	120/-
F 4235	3	8 x 3	7 1/2 x 2 1/2	1	8/3	93/-	8/6	96/-	14/3	162/-
F 4237	4	10 1/2 x 3	10 x 2 1/2	1	10/-	114/-	10/3	117/-	18/9	216/-
F 4239	4	5 1/2 x 5 1/2	5 x 5	1	10/-	114/-	10/3	117/-	18/9	216/-
F 4241	6	8 x 5 1/2	7 1/2 x 5	1	13/9	156/-	14/-	159/-	27/-	312/-
F 4243	8	10 1/2 x 5 1/2	10 x 5	1	19/6	225/-	21/9	252/-	36/-	420/-
F 4245	9	8 x 8	7 1/2 x 7 1/2	1	19/6	225/-	21/9	252/-	39/-	456/-
F 4247	12	10 1/2 x 8	10 x 7 1/2	1	24/6	283/6	27/-	315/-	49/6	576/-
F 4249	16	10 1/2 x 10 1/2	10 x 10	1 1/4	31/6	360/-	35/3	405/-	64/6	756/-
F 4251	For charging boards etc.	13 x 13	12 1/2 x 12 1/2	1 1/4	39/-	450/-	42/6	492/-	75/-	888/-
F 4253		15 1/2 x 12 1/2	15 x 12	1 1/4	51/6	600/-	53/6	660/-	108/-	1260/-
F 4255		18 1/2 x 12 1/2	18 x 12	1 1/4	62/-	720/-	68/-	792/-	133/6	1560/-
F 4257		20 1/2 x 12 1/2	20 x 12	1 1/4	72/-	840/-	79/-	924/-	153/6	1800/-
F 4259	Two 10 amp switches	7 x 4	6 1/2 x 3 1/2	1	8/3	93/-	8/6	96/-	14/3	162/-

**SQUARE AND RECTANGULAR SOLID BLOCKS.  
THIN.**

Catalogue No.	No. of switches (Space)	Size at back	Size on front	Thickness	Polished imitation walnut		White enamelled		Real teak	
					per doz.	per gross	per doz.	per gross	per doz.	per gross
F 4261	1	3 x 3	2 1/2 x 2 1/2	1	4/3	49/6	4/6	51/-	7/3	81/-
F 4263	2	5 1/2 x 3	5 x 2 1/2	1	6/-	66/-	6/3	69/-	10/6	120/-
F 4265	3	8 x 3	7 1/2 x 2 1/2	1	8/3	93/-	8/6	96/-	14/3	162/-
F 4267	4	10 1/2 x 3	10 x 2 1/2	1	10/-	114/-	10/3	117/-	18/9	216/-
F 4269	4	5 1/2 x 5 1/2	5 x 5	1	10/-	114/-	10/3	117/-	18/9	216/-



# S.E.C.

1355 (F)


## FITTINGS ACCESSORIES.

RECESSED SWITCH BOXES.  
WOOD SWITCH BOXES & BLOCKS,  
POLISHED BRASS  
BRACKETS.

### SWITCH BOXES.


Catalogue No.	No. of Switches (Space)	Dimensions			Price per doz.
		Length	Width	Depth inside	
F 4271	1	ins. 2 $\frac{1}{4}$	ins. 2 $\frac{1}{4}$	1 $\frac{3}{8}$	9/-
F 4273	2	5	2 $\frac{1}{4}$		12/6
F 4275	3	7	2 $\frac{1}{4}$		15/9
F 4277	4	9	2 $\frac{1}{4}$		22/6
F 4279	4	5	5		22/6
F 4281	6	7	5		29/6
F 4283	10 amp. switch and plug.	6 $\frac{1}{2}$	3 $\frac{1}{2}$	1 $\frac{3}{4}$	14/6

These Boxes are made in well-seasoned Teak, strongly glued, morticed, and sprigged.




F 4271-83

### THE "NEW ERA" FIXTURE BLOCK.



F 4285



F 4287

The "New Era" Fixture Block effectually overcomes the old objection to "Hand-made Joints" and considerably expedites wiring. "New Era" blocks enable fittings to be removed without cutting wires or in any way damaging decorations.

4in. Face	Imitation Walnut
Single Circuit	18/9 doz.

4in. Face	Imitation Walnut
Two Circuit	24/6 doz.

White Enamelled Blocks, 6d. per doz. extra.

### RECESSED SWITCH BLOCKS.



F 4291-4299

Catalogue No.	No. of Switches (Space)	Dimension	Polished Imitation Walnut		Real Teak		White Enamelled	
			per. doz.	per gross.	per doz.	per gross.	per doz.	per gross.
F 4291	1	ins. 3 x 3	6/9	78/-	10/-	114/-	7/6	87/-
F 4293	2	5 $\frac{1}{2}$ x 3	9/-	105/-	14/6	165/-	10/3	120/-
F 4295	3	8 x 3	13/-	153/-	18/6	216/-	14/6	171/-
F 4297	4	5 $\frac{1}{2}$ x 5 $\frac{1}{2}$	16/9	195/-	26/6	300/-	18/9	216/-
F 4299	1	Round 3 $\frac{1}{2}$ dia.	3/6	39/-	7/6	84/-	3/9	42/-

Suitable for "Slick" Semi-recessed Switches.

### POLISHED BRASS BRACKETS.



F 4301

Projection, 2 $\frac{1}{2}$ ins.


3/4in. Tube	doz.
3/4in. Tube	14/-
1/2in. Tube	15/6



F 4303

Projection, 2 $\frac{1}{2}$ ins.

3/4in. Tube	doz.
3/4in. Tube	14/6
1/2in. Tube	16/-



F 4305

Projection, 5ins.




1 1/8in. Tube	47/6 doz.
---------------	-----------



F 4307

Projection, 2 $\frac{1}{2}$ ins.

3/4in. Tube	15/6 doz.
-------------	-----------



Cast Plate.

3/4in. Tube	Canting	
Catalogue No.	Projection inches	Price. per doz.
F 4311	6	19/6
F 4313	9	21/-
F 4315	12	25/6
F 4317	15	39/-
F 4319	18	46/6

3/4in. Tube	Perpendicular	
Catalogue No.	Projection inches	Price. per doz.
F 4321	6	19/6
F 4323	9	21/-
F 4325	12	25/6
F 4327	15	39/-
F 4329	18	46/6

3/4in. Tube		Canting	
Catalogue No.	Projection. inches	Brass per doz.	Enam. Steel per doz.
F 4331	6	39/-	25/6
F 4333	9	43/6	27/-
F 4335	12	49/6	28/6
F 4337	18	54/-	42/-
F 4339	24	69/-	48/-



(F) 1356

REFLECTORS.  
FOR SHOP WINDOWS,  
SHOW CASES,  
PICTURES, ETC.

# G.E.C.

## FITTINGS ACCESSORIES.

REFLECTORS FOR SHOP WINDOWS, SHOW CASES, ETC.




Shell.  
F 4351/3

### F 4351

For Osram Lamps up to  
20 watt size.  
Nickelled.  
3/3 each.

### F 4353


As F 4351 but for Osram  
Lamps up to 60 watt size.  
3/6 each.



### F 4371

For small Tubular Lamp.  
1/2 in. Brass Female Thread,  
Knuckle Joint.

Polished Brass	Oxidized Copper	Oxidized Silver
each. 11/3	each. 12/6	each. 13/9



Hemispherical.  
F 4381

### F 4381

For Osram Lamps up to  
60 watt size.  
Nickelled.  
6/9 each.




Fluted  
Scoop.  
F 4355, 7

### F 4355

For Osram Lamps up to  
20 watt size.  
Nickelled.  
3/- each.

### F 4357

As F 4355 but for Osram  
Lamps up to 60 watt size.  
3/3 each.




### F 4373

For Osram Lamps up to 20 watt size.  
Japanned outside, lined Silvered Mirror.  
11/- each.

### F 4375

As F 4373 but for Osram Lamps up  
to 60 watt size.  
11/6 each.



Horizontal  
Parabolic.  
F 4383/5

### F 4383

For Osram Lamps up to  
30 watt size.  
Nickelled.  
6/3 each.

### F 4385

As F 4383 but for Osram  
Lamps up to 60 watt size.  
7/6 each.




Plain  
Scoop.  
F4359/61

### F 4359

For Osram Lamps up to  
20 watt size.  
Nickelled.  
3/- each.


### F 4361

As F 4359 but for Osram  
Lamps up to 60 watt size.  
3/3 each.



### F 4377

For 100 watt Osram Gasfilled Lamp, 2 1/4" lip.  
White outside. Mirror lined. 9ins. diameter.  
14/6 each.




Vertical  
Parabolic.  
F 4391/3

### F 4391

For Osram Lamps up to  
30 watt size.  
Nickelled.  
6/9 each.

### F 4393


As F 4391 but for Osram  
Lamps up to 60 watt size.  
7/9 each.



Tubular.  
F 4363

### F 4363


For S.B.C. lampholders.  
Nickelled.  
2/- each.



### F 4379

Round Conic Reflector, Japanned Black.  
lined with Silvered Mirror Glass, with  
1 1/2 in. opening and Ventilation Holes.

	each.
8 x 4 ins.	7/6
10 x 5 ins.	11/3
12 x 6 ins.	14/3
15 x 7 1/2 ins.	18/-



Conic.  
F 4395/7

### F 4395

For Osram Lamps up to  
20 watt size.  
Nickelled.  
6/9 each.

### F 4397

As F 4395 but for Osram  
Lamps up to 60 watt size.  
7/9 each.

PRICES DO NOT INCLUDE LAMPS OR LAMPHOLDERS.




# S.E.C.

1357 (F)

REFLECTORS FOR SHOP WINDOWS  
AND SHELF CLIPS


## FITTINGS ACCESSORIES.

### SHOP WINDOW REFLECTORS AND SHELF CLIPS.




**F 4401**

Adjustable Telescopic Bracket to fit Glass Shelves.  
Nickel-plated.  
3/9 each.  
Double Holder and Reflector extra.  
See F 4407/9 below.




**F 4403**

Bracket with Sliding and Adjustable Nipple.  
Nickel-plated.  
3/9 each.  
Double Holder and Reflector extra.  
See F 4407/9 below.



**F 4411**

Jeweller's Shelf Clip.  
Silver-plated.  
9d.



**F 4407 (Series).**

**F 4409 (Parallel).**

Steel Bronzed outside, Nickel-plated inside. Including Nickel-plated Double Holder.

Series 16/6 per 13in. length wired.

Parallel 16/6 " " " "

Supplied in lengths—13ins., 26ins. and 39in., taking two 20 watt Osram Lamps per 13in.

When ordering state length required and Catalogue No.

F 3585 for attaching to Tap Bar, 8/6 doz.



**F 4413**

Bracket to screw to tap bar.  
1 1/2 in. hole for Lampholder.

Brass	Nickel-plated
10d. each	1/- each




**F 4417**

Glass Shelf Bracket.

Arm can be attached to Clip horizontally as shown, or screwed vertically into body.


Polished Brass	Nickel-plated
2/6 each	3/- each



**F 4419**


Botts Bracket.

Polished or Bronzed Brass	Nickelled
2/6 each	3/- each
Patent Lampholders 1/9 and 2/6 each extra respectively.	



**F 4415**

Polished Brass	Nickelled
1/- each	1/3 each




**F 4421**

Registered No. 489715.

Shelf Clip Bracket.

The Clip grips the shelf and will accommodate itself to varying thicknesses. The socket holding Lampholder swivels in any direction, there being two movements to allow of this.

Nickel-plated. ... 2/9 each.



**F 4423**

Nipple for conversion of Tap Bar Lampholder.

For F 4419 Bracket.

1/3 each.

PRICES DO NOT INCLUDE LAMPS OR LAMPHOLDERS, EXCEPT WHERE OTHERWISE STATED.




(F) 1358

**"STRIPLITE"**  
**REFLECTORS**  
FOR SHOP WINDOWS,  
SHOWCASES, ETC.

**G.E.C.**

## FITTINGS ACCESSORIES.

### "STRIPLITE."




**F 4431**

The Standard finish is Polished Aluminium inside and outside, but "Striplite" can be supplied polished inside and enamelled any colour outside at a slight increase in price.

Catalogue No.	For Osram "Striplite" Lamp		Approx. overall length of single unit	Price per unit length (without lamps)	
	Wattage	Length		s.	d.
<b>F 4431</b>	20 or 30	221 m/m (approx. 8 $\frac{3}{4}$ "	12 ins.	<b>8</b>	<b>6</b>

Stocked in 1, 2, 3, 4 and 6 lamp lengths. (Approx. overall lengths, 12, 22, 32, 42 and 62 ins. respectively).



**F 4433** As **F 4431** but extra wide on one side.


Catalogue No.	For Osram "Striplite" Lamp		Approx. overall length of single unit	Price per unit length (without lamps)	
	Wattage	Length		s.	d.
<b>F 4433</b>	20 or 30	221 m/m (approx. 8 $\frac{3}{4}$ "	12 ins.	<b>11</b>	<b>6</b>

Stocked in 1, 2, 3, 4 and 6 lamp lengths. (Approx. overall lengths, 12, 22, 32, 42 and 62 ins. respectively).

*Prices and particulars of other designs of Aluminium "Striplite" on application*

### "STRIPLITE" FOR PICTURES AND SHOWCASES.

Extra wide one side.



21"



**F 4439** 5/- per doz. sets.


Nickel-plated Clips and L. Screws for fixing "Striplite" so that Reflector can be adjusted to position required

Catalogue No.	For Osram "Striplite" Lamp		Approx. overall length	Price per unit length	
	Wattage	Length		s.	d.
<b>F 4435</b>	20 or 30	221 m/m (approx. 8 $\frac{3}{4}$ "	12 ins.	<b>13</b>	<b>6</b>

Fitted at back with  $\frac{1}{4}$  in. Brass Nozzle Female.

### "CHINA STRIPLITE."

Patent No. 15115/03. Registered No. 580652.



For 20 or 30 watt Osram "Striplite" Lamps. Length 221 m/m (approx. 8 $\frac{3}{4}$ ins.)

Catalogue No.	Description	Length of Part	Price each (without lamps)	
			s.	d.
<b>F 4441</b>	Standard length Series	9 $\frac{1}{2}$ ins.	<b>9</b>	<b>0</b>
<b>F 4443</b>	Standard length Parallel Right	9 $\frac{1}{2}$ ins.	<b>9</b>	<b>0</b>
<b>F 4445</b>	Standard length Parallel Left	9 $\frac{1}{2}$ ins.	<b>9</b>	<b>0</b>
<b>F 4447</b>	End Piece	1 $\frac{1}{2}$ ins.	<b>3</b>	<b>6</b>
<b>F 4449</b>	Circuit Connector	$\frac{1}{2}$ ins.	<b>3</b>	<b>6</b>

**PRICES DO NOT INCLUDE LAMPS.**



# G.E.C.


1359 (F)

SHOP WINDOW  
REFLECTOR.

## FITTINGS ACCESSORIES.


### SHOP WINDOW REFLECTORS.

A scientifically designed trough reflector consisting of a metal housing finished white outside, lined with opal and high grade mirror glass. Suitably ventilated for use with 100 watt OSRAM gasfilled lamps and supplied in convenient lengths complete with B.C. lampholders. Lampholders are spaced 12" or 18" apart.




**F 4451**

Suitable for shop windows in which the distance from back to front does not exceed two-thirds of the height.  
27/- per foot.



**F 4453**

Suitable for shop windows in which the distance from back to front does not exceed the height.  
27/- per foot.



Patent No. 102772.

**F 4455**

Metal housing white outside, lined silvered mirror glass, wired with nickelled double holders for 60 watt OSRAM lamps. Lampholders spaced 18" apart. The mirrors are arranged to reflect the light in the vertical downward direction.

Specially suitable for windows that exceed 8ft., narrow but closely dressed.

37/6 per foot.

**F 4457**

Metal housing white outside, lined silvered mirror and white opal glass with lampholders for 100 watt OSRAM Gasfilled lamps, unwired. Lampholders spaced 18" apart. The mirrors are arranged to reflect the light in the vertical direction, as **F 4455**.

Suitable for closely dressed and narrow windows, where more light is required than would be obtained by using OSRAM Vacuum Lamps.

40/6 per foot.

PRICES INCLUDE LAMPHOLDERS, BUT NOT LAMPS.



(F) 1360

**"GECORAY"**  
**SILVERED GLASS REFLECTORS**  
**FOR SHOP WINDOW LIGHTING.**



## SILVERED GLASS REFLECTORS.

FOR SHOP WINDOW LIGHTING.



**FC 4950**

**"SPLENDOR"**

For high, shallow windows.

Designed to accommodate one 100 watt. Osram Gasfilled Lamp.

Catalogue No.	Height when equipped with gallery and S1066 "Excel" lampholder	Width	Price each
<b>FC 4950</b>	9 ins.	9 $\frac{3}{8}$ ins.	<b>37/6</b>

*Price includes gallery.*



**FC 4951**

**"SCINTOR"**

For average windows.

Designed to accommodate one 100 watt. Osram Gasfilled Lamp.

Catalogue No.	Height when equipped with gallery and S1066 "Excel" lampholder	Width	Price each
<b>FC 4951</b>	10 ins.	9 $\frac{1}{4}$ ins.	<b>37/6</b>

*Price includes gallery.*



**FC 4952**

**"LUSTOR"**

For high, shallow windows.

Designed to accommodate one 60 watt. Osram Gasfilled Lamp.

Catalogue No.	Height when equipped with F 3761 gallery and S1066 Lampholder	Width	Price each without gallery
<b>FC 4952</b>	7 $\frac{1}{2}$ ins.	7 $\frac{1}{2}$ ins.	<b>30/-</b>



**FC 4953**

**"METEOR"**

For small windows.

Designed to accommodate one 60 watt. Osram Gasfilled Lamp.


Catalogue No.	Height when equipped with F 3761 gallery and S1066 lampholder	Width	Price each without gallery
<b>FC 4953</b>	6 $\frac{1}{2}$ ins.	6 $\frac{1}{4}$ in.	<b>25/-</b>

F 3761 gallery for F 4465 and F 4467, 13/6 doz. extra.

**PRICES DO NOT INCLUDE LAMPS OR LAMPHOLDERS.**

*For further particulars and Illumination Curves see separate list.*





REGD. TRADE MARK

**G.E.C.**

**ELECTRIC LIGHT**

**FITTINGS ACCESSORIES.**

**F (2)**

SECTION  
16th EDITION  
(December, 1924).

**CONTENTS.**

	PAGE		PAGE
ANTI-VIBRATORS ...	1338	NOZZLES ...	1336
BALL FITTINGS ...	1343/4	NURLS ...	1339, 1344
BLOCKS AND BOXES ...	1354/5	OIL LAMP ADAPTORS ...	1342
BRACKETS (INDOOR) ...	1355	PULL DOWN HANDLES ...	1342
BUSHES ...	1336	REFLECTORS 1356/59 & 1362	
CANDLE FITTINGS ...	1346	„ (DESK, ETC.)	1362
CEILING PLATES ...	1337/8	„ (SHOP WINDOW)	1356/61
CHAINS ...	1345	ROSETTES ...	1336
CLIPS ...	1336	SCREWS ...	1336
CORD GRIPS ...	1336	SHACKLES ...	1338
„ ORNAMENTS ...	1339	SHADE CARRIERS ...	1342/3/4
„ SHORTENERS ...	1339	„ FIXERS ...	1343
COUNTERWEIGHT FITTINGS	1348/51	SHADE TILTERS ...	1342
COUPLINGS ...	1336	SHELF CLIPS ...	1357
ELBOWS ...	1336	SOCKETS ...	1337
GALLERIES OR SHADE CARRIERS	1340/1	“ S ” HOOKS ...	1344
HOOKE PLATES ...	1338	“ STRIPLITE ” ...	1358
HOOKE ...	1336, 1338	SWITCH PLATES ...	1352/3
HUSKS ...	1339	TILTERS ...	1342
INSULATORS ...	1336	TUBES ...	1344/6
KNUCKLE JOINTS ...	1343	WIRE GUARDS ...	1347
LOOPS ...	1338	WOOD BLOCKS AND BOXES	1354/5
NIPPLES ...	1337		

*The prices in this list are subject to our Standard Conditions of Sale.*

**THE GENERAL ELECTRIC CO., LTD.**

HEAD OFFICE:

**MAGNET HOUSE, KINGSWAY, LONDON, W.C.2.**

TELEPHONE: REGENT 7050 (50 LINES). TELEGRAMS: "ELECTRICITY, WESTCENT, LONDON."

WORKS: WITTON, BIRMINGHAM, MANCHESTER, COVENTRY,  
SOUTHAMPTON, ERITH, WEMBLEY, LONDON, ETC.

BRANCHES THROUGHOUT THE UNITED KINGDOM AND IN ALL PRINCIPAL MARKETS OF THE WORLD.



REGD. TRADE MARK.



REGD. TRADE MARK.



(F) 1336

**CORD GRIPS, HOOKS, CLIPS,  
NOZZLES, ELBOWS,  
INSULATORS, ETC.  
(POLISHED BRASS).**

**G.E.C.**

## FITTINGS ACCESSORIES.

### CORD GRIPS. F 3501



F 3501

Male Thread	Brass
	doz.
$\frac{3}{8}$ in.	3/9
$\frac{1}{2}$ in.	4/9
$\frac{3}{4}$ in.	6/3
$\frac{1}{2}$ in. gas	15/9

### F 3503



F 3503

Female Thread	Brass
	doz.
$\frac{3}{8}$ in.	6/-
$\frac{1}{2}$ in.	6/9
$\frac{3}{4}$ in.	8/3

### F 3505



F 3505

Male Thread	Brass
	doz.
$\frac{3}{8}$ in.	18/-

### LACQUERED SCREWS.

### F 3509



F 3509

Size	Brass
	doz.
No. 6 x $\frac{3}{4}$ in.	6d.
No. 8 x 1 in.	1/-

### POLISHED BRASS RINGS.


### F 3511



F 3511

Female Thread	Brass
	doz.
$\frac{3}{8}$ in.	1/6
$\frac{1}{2}$ in.	1/9
$\frac{3}{4}$ in.	2/6
1 in.	4/3

### BRASS SUSPENDING HOOKS.



F 3513

**F 3513**  
To fix under cord  
grip caps of  
lampholders.  
 $\frac{3}{8}$  in. hole  
10/- per doz.

### BRASS SUSPENDING HOOKS.



F 3515

**F 3515**  
With split insulator.  
Easily attached to  
wire.  
16/6 per doz.



F 3517

### SCREW CLIPS.

### F 3517

For clipping to  
Brass Tubes of  
the following  
diameters.

	doz.
$\frac{3}{8}$ in. $\frac{1}{2}$ in. $\frac{3}{4}$ in.	12/6
$\frac{1}{2}$ in. $\frac{3}{4}$ in. 1 in.	



F 3519

### F 3519

Insulated clip for  
brass tubes of the  
following diameters.

	doz.
$\frac{3}{8}$ in. $\frac{1}{2}$ in. $\frac{3}{4}$ in.	12/6
$\frac{1}{2}$ in. 1 in. 1 $\frac{1}{8}$ in.	



F 3521

### INSULATING HOOKS.

### F 3521

Polished brass.  
China insulator.  
For insulating light  
pendants from  
ceiling.  
18/- per doz.  
Larger sizes to order.



F 3523

### SCREW EYES.

### F 3523

Closed Insulator.  
Wood Screws.

Length overall	Per doz.	Per gross.
1 $\frac{1}{2}$ in.	1/6	15/-
2 $\frac{1}{2}$ in.	1/9	17/3



F 3527

### F 3527

Slotted Insulator.

Length overall	Per doz.	Per gross.
1 $\frac{1}{2}$ in.	1/6	15/-
2 $\frac{1}{2}$ in.	1/9	17/3



F 3529

### ROSETTES.

### F 3529

For use with  
Screw eyes  
1/3 per doz.  
13/6 per gross

### REDUCING NOZZLES.

### F 3531

Polished Brass.  
Brass Threads.




F 3531

Inside	Outside	doz.
$\frac{3}{8}$ in.	$\frac{1}{2}$ in.	2/6
$\frac{1}{2}$ in.	$\frac{3}{4}$ in.	2/6
$\frac{3}{4}$ in.	1 in.	3/6
1 in.	1 $\frac{1}{8}$ in.	3/-
1 $\frac{1}{8}$ in.	1 $\frac{1}{4}$ in.	3/-
1 $\frac{1}{4}$ in.	1 $\frac{3}{8}$ in.	3/3
1 $\frac{3}{8}$ in.	1 $\frac{1}{2}$ in.	3/3
1 $\frac{1}{2}$ in.	1 $\frac{3}{4}$ in.	4/-
1 $\frac{3}{4}$ in.	2 in.	4/3
2 in.	2 $\frac{1}{4}$ in.	4/3
2 $\frac{1}{4}$ in.	2 $\frac{3}{8}$ in.	5/-
2 $\frac{3}{8}$ in.	2 $\frac{1}{2}$ in.	6/-
2 $\frac{1}{2}$ in.	3 in.	6/-

### INCREASING NOZZLES.

### F 3535

For Brass Threads.  
26 Pitch.



F 3535

Inside	Outside	doz.
$\frac{3}{8}$ in.	$\frac{1}{2}$ in.	1/9
$\frac{1}{2}$ in.	$\frac{3}{4}$ in.	3/-
$\frac{3}{4}$ in.	1 in.	2/-




F 3537

### F 3537

Polished Brass.

Brass Inside	Iron Outside	doz.
$\frac{1}{8}$ in.	$\frac{1}{4}$ in.	5/6
$\frac{1}{4}$ in.	$\frac{3}{8}$ in.	5/6



F 3539

### F 3539

Iron Thread

Inside	Outside	doz.
$\frac{1}{8}$ in.	$\frac{1}{4}$ in.	3/-
$\frac{1}{4}$ in.	$\frac{3}{8}$ in.	4/3
$\frac{3}{8}$ in.	$\frac{1}{2}$ in.	7/6
$\frac{1}{2}$ in.	1 in.	11/3
$\frac{3}{4}$ in.	1 in.	11/3

### NIPPLES.

### F 3541

Brass Thread.  
26 Pitch.



F 3541

Outside	doz.
$\frac{3}{8}$ in.	1/-
$\frac{1}{2}$ in.	1/3
$\frac{3}{4}$ in.	1/6

### COUPLINGS.

### F 3543

Brass Threads.



F 3543

Inside	doz.
$\frac{3}{8}$ in.	4/3
$\frac{1}{2}$ in.	4/9
$\frac{3}{4}$ in.	5/9
1 in.	6/6

### ELBOWS.

**F 3545** (2-way).  
**F 3547** (3-way).

Equal Brass  
Threads.



F 3545/7

Thread	Two Way	Three Way
	doz.	doz.
$\frac{3}{8}$ in.	11/3	11/3
$\frac{1}{2}$ in.	14/3	14/3
$\frac{3}{4}$ in.	15/9	15/9

### NOZZLES.

### F 3551

Polished Brass.



F 3551/3

Iron Threads	Brass Threads	doz.
Inside	Outside	
$\frac{3}{8}$ in.	$\frac{1}{2}$ in.	5/3
$\frac{1}{2}$ in.	$\frac{3}{4}$ in.	5/3
$\frac{3}{4}$ in.	1 in.	6/-
1 in.	1 $\frac{1}{8}$ in.	6/-
1 $\frac{1}{8}$ in.	1 $\frac{1}{4}$ in.	8/3
1 $\frac{1}{4}$ in.	1 $\frac{3}{8}$ in.	8/3
1 $\frac{3}{8}$ in.	1 $\frac{1}{2}$ in.	12/6
1 in.	2 in.	12/6

### F 3553

Polished Brass.

Electric Threads	Brass Threads	doz.
Inside	Outside	
$\frac{3}{8}$ in.	$\frac{1}{2}$ in.	5/3
$\frac{1}{2}$ in.	$\frac{3}{4}$ in.	5/3
$\frac{3}{4}$ in.	1 in.	6/-
1 in.	1 $\frac{1}{8}$ in.	6/-
1 $\frac{1}{8}$ in.	1 $\frac{1}{4}$ in.	8/3
1 $\frac{1}{4}$ in.	1 $\frac{3}{8}$ in.	8/3

### F 3555

Polished Brass.



F 3555

Iron Threads	Brass Threads	doz.
Inside	Inside	
$\frac{3}{8}$ in.	$\frac{3}{8}$ in.	5/3
$\frac{1}{2}$ in.	$\frac{1}{2}$ in.	6/-
$\frac{3}{4}$ in.	$\frac{3}{4}$ in.	9/-
1 in.	1 in.	12/6

### F 3557

Polished Brass.



F 3557

Electric Threads	Brass Threads	Price
Inside	Inside	doz.
$\frac{3}{8}$ in.	$\frac{3}{8}$ in.	5/3
$\frac{1}{2}$ in.	$\frac{1}{2}$ in.	6/-
1 in.	1 in.	8/3

### INSULATING BUSH PIECES.

### F 3561

Black and White  
for Brass Threads.



F 3561

	doz.
$\frac{3}{8}$ in.	10d.
$\frac{1}{2}$ in.	1/-
$\frac{3}{4}$ in.	1/6

### EBONITE DIMINISHERS.

### F 3563

Brass Threads.



F 3563


Inside	Outside	doz.
$\frac{3}{8}$ in.	$\frac{1}{2}$ in.	4/6
$\frac{1}{2}$ in.	$\frac{3}{4}$ in.	5/9
$\frac{3}{4}$ in.	1 in.	5/9
1 in.	1 $\frac{1}{8}$ in.	6/9





## FLOODLIGHTS AND SPOTLIGHTS.

FOR WINDOW LIGHTING EFFECTS.




**F.C. 4949**

Designed to throw a concentrated beam of light upon any special feature in the window display, or for floodlighting the whole window. It is supplied complete with bracket, and can be fixed to any flat surface, either vertical or horizontal. The ball and socket joint gives universal adjustment of the direction of the beam. Will accommodate one 100 watt OSRAM Gasfilled Projector Type Lamp (for spotlighting), or one 200 watt OSRAM Gasfilled Lamp (for floodlighting).

**F.C. 4949**    each.  
£2 17s. 6d.

Complete with bracket, gallery and lampholder.




**F.C. 4948**

This small spotlight is solidly constructed with a metal housing, amply ventilated. A high quality lens is provided, as well as telescopic focussing adjustment. The bracket allows the concentrated beam of light to be directed exactly where required and four different colour screens (one each red, amber, blue and green) are provided with each projector. Will accommodate one 100 watt OSRAM Projector Type Lamp.

each.  
**F.C. 4948**    £3 17s. 6d.

Complete with bracket and colour screens.

### COLOUR SCREENS FOR USE WITH GECORAY REFLECTORS.



**F.C. 4954**

Colour screens designed for use with **F.C. 4950** and **F.C. 4951** reflectors. The colour film is held in place between two rings with retaining wires stretched across the openings of each ring. Four colour films of assorted colours (red, amber, green and blue) are supplied with each colour screen.

**GECORAY Colour Screen, complete with four colour films** ... Price 18/-.





(F) 1362  
REFLECTORS.  
FOR READING  
DESKS, MUSIC  
STANDS, ETC.

# G.E.C.


## FITTINGS ACCESSORIES.

REFLECTORS FOR READING DESKS, MUSIC STANDS, &c.




**ORCHESTRA LIGHT.**  
**F 4481**

Japanned Black.  
For Ordinary Lamp. 8/3 each.




**PULPIT OR READING DESK LIGHT.**  
**F 4483**

Polished Brass Bracket and "Striplite"  
reflector with lampholders.  
21/- each.




**"STRIPLITE" MUSIC DESK LIGHT.**  
**F 4485**

Polished Brass Bracket and "Striplite" Reflector  
with Lampholders.  
25/6 each.




**ORCHESTRA LIGHT.**  
**F 4487**

Polished Brass.  
For Tubular Lamp.  
27/- each.



**ORCHESTRA OR DESK LIGHT.**  
**F 4489**

Enamelled Steel Bracket with Japanned Reflector.  
For Ordinary or Tubular Lamp  
33/- each.



**TELESCOPIC PULPIT OR READING DESK LIGHT.**  
**F 4491**

Adjustable in length, giving a range of from 12 to 18ins., to suit any width  
Pulpit or Reading Desk.

Can also be raised and lowered.

Black Enamelled .. .. 60/- each.  
Polished Brass .. .. 80/- "

PRICES DO NOT INCLUDE LAMPS OR LAMPHOLDERS EXCEPT WHERE STATED.



# SEPARATE SECTIONS OF CATALOGUE.

## SECTION

- P** (3) Direct Current Motors  
 (4) Alternating Current Motors  
 (5) Plant (Combined Sets, etc.)  
 (6) Transformers  
 (7) G.E.C. Lighting Sets

- X** (1) Switchboards  
 (2) High Tension Switchgear  
 (3) Circuit Breakers  
 (4) Condenser Protective Gear  
 (5) Motor Starters  
 (6) Cable Boxes  
 (7) Motor Controllers

**X & Y** Low and Medium Tension Switchgear

**M** Measuring Instruments

- V** (3) "Freezor" Electric Fans  
 (4) "Witton" Fractional H.P. Motors

**OS** Osram and Robertson Lamps

**S** Electric Light Supplies

- W** (1) Pirelli-General Wires and Cables  
 (2) "Kingsway" Wiring System

**C** Conduit and Accessories

**F** Fixtures

**FI** Industrial and Street Lighting

**F & G** Fittings Accessories

- H** (1) Electric Heating Apparatus  
 (2) Electric Cooking Apparatus

- L** (1) Electric Bells, Batteries, and Accessories  
 (3) Colliery Signalling, Miners' Hand Lamps

**K** Telephones

**RS** Railway Signalling Apparatus

**BC** (2) Broadcasting Valves

Any of the above will be sent on receipt of application stating which section is required.



“G.E.C.”

WORKS:

## HOME BRANCHES:

## OVERSEAS BRANCHES.

## INDIA AND BURMAH :

**INDIA AND BURMAH:**  
THE GENERAL ELECTRIC CO. (INDIA) LTD.,  
14, Old Court House Street, CALCUTTA.  
100, Arundel Street, MADRAS.  
235, Hornby Road, BOMBAY.  
Lawrence Road, LAHORE.

**FEDERATED MALAY STATES AND STRAITS SETTLEMENTS:**  
MAGNET & CHALMERS ENGINEERING WORKS.  
(Proprietors: The General Electric Co., Ltd.),  
Magnet House, 82-83, Robinson Road, SINGAPORE.  
Singapore Settlements.

**CHINA, MANCHURIA AND KOREA:**  
THE GENERAL ELECTRIC CO. OF CHINA, LTD.,  
101, No. 503 C.P.O., SHANGHAI.  
S. Chen's Building, HONG KONG.  
21, Tung Ting Road (British Concession), HANKOW.  
62, Rue de France, TIENTSIN.  
DAIKEN, South Manchuria.

## ARGENTINA AND URUGUAY

## OVERSEAS AGENCIES